

[2019-April-NewReal AZ-100 VCE Free Download from Braindump2go[Q41-Q51]

2019/April Braindump2go AZ-100 Exam Dumps with PDF and VCE New Updated Today! Following are some new AZ-100 Exam Questions:**1.2019 Latest AZ-100 Exam Dumps (PDF & VCE) Instant Download:**

<https://www.braindump2go.com/az-100.html>**2.2019 Latest AZ-100 Exam Questions & Answers Instant Download:**

<https://drive.google.com/drive/folders/1ScnhyMI84SXVjKyPISzFBYw3qkiLyJzE?usp=sharing>Question: 41Note: This question

is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains 10 virtual networks. The virtual networks are hosted in separate resource groups. Another administrator plans to create several network security groups (NSGs) in the subscription. You need to ensure that when an NSG is created, it automatically blocks TCP port 8080 between the virtual networks. Solution: You create a resource lock, and then you assign the lock to the subscription. Does this meet the goal? A. Yes B. No Answer: B Explanation: How can I freeze or lock my production/critical Azure resources from accidental deletion? There is way to do this with both ASM and ARM resources using Azure resource lock. References: **<https://blogs.msdn.microsoft.com/azureedu/2016/04/27/using-azure-resource-manager-policy-and-azure-lock-to-control-your-azure-resources/>**Question: 42

You have an Azure Active Directory (Azure AD) domain that contains 5,000 user accounts. You create a new user account named AdminUser1. You need to assign the User administrator administrative role to AdminUser1. What should you do from the user account properties? A. From the Directory role blade, modify the directory role. B. From the Groups blade, invite the user account to a new group. C. From the Licenses blade, assign a new license. Answer: A Explanation: Assign a role to a user Sign in to the Azure portal with an account that's a global admin or privileged role admin for the directory. Select Azure Active Directory, select Users, and then select a specific user from the list. For the selected user, select Directory role, select Add role, and then pick the appropriate admin roles from the Directory roles list, such as Conditional access administrator. Press Select to save. References:

[https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/active- directory-users-assign-role-azure-portal](https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/active-directory-users-assign-role-azure-portal)

Question: 43HOTSPOT You have an Azure Active Directory (Azure AD) tenant named adatum.com. Adatum.com contains the groups in the following table.

Name	Group type	Membership type	Membership rule
Group1	Security	Dynamic user	(user.city -startsWith "m")
Group2	Microsoft Office 365	Assigned	(user.department -contains "Marketing")
Group3	Microsoft Office 365	Assigned	Not applicable

You create two user accounts that are configured as shown in the following table.

Name	City	Department	Office 365 license assigned
User1	Melbourne	Engineering	Yes
User2	Melbourne	Marketing	No

To which groups do User1 and User2 belong? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

User1:

Group1 only
Group2 only
Group3 only
Group1 and Group2 only
Group1 and Group3 only
Group2 and Group3 only
Group1, Group2, and Group3

User2:

Group1 only
Group2 only
Group3 only
Group1 and Group2 only
Group1 and Group3 only
Group2 and Group3 only
Group1, Group2, and Group3

Answer: User1:

Group1 only
Group2 only
Group3 only
Group1 and Group2 only
Group1 and Group3 only
Group2 and Group3 only
Group1, Group2, and Group3

User2:

Group1 only
Group2 only
Group3 only
Group1 and Group2 only
Group1 and Group3 only
Group2 and Group3 only
Group1, Group2, and Group3

Explanation: Box 1: Group 1 only First rule applies
Box 2: Group1 and Group2 only Both membership rules apply.
References: <https://docs.microsoft.com/en-us/scm/core/clients/manage/collections/create-collections>
Question: 44 You have an Active Directory forest named contoso.com. You install and configure Azure AD Connect to use password hash synchronization as the single sign-on (SSO) method. Staging mode is enabled. You review the synchronization results and discover that the Synchronization Service Manager does not display any sync jobs. You need to ensure that the synchronization completes successfully. What should you do?
A. From Synchronization Service Manager, run a full import.
B. Run Azure AD Connect and set the SSO method to Pass-through Authentication.
C. From Azure PowerShell, run Start-AdSyncSyncCycle -PolicyType Initial.
D. Run Azure AD Connect and disable staging mode.
Answer: D
Explanation: Staging mode must be disabled. If the Azure AD Connect server is in staging mode, password hash synchronization is temporarily disabled.
References: <https://docs.microsoft.com/en-us/azure/active-directory/connect/active-directory-aadconnectsync-troubleshoot-password-hash-synchronization#no-passwords-are-synchronized-troubleshoot-by-using-the-troubleshooting-task>
Question: 45 You have an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com that contains 100 user accounts. You purchase 10 Azure AD Premium P2 licenses for the tenant. You need

to ensure that 10 users can use all the Azure AD Premium features. What should you do?
A. From the Groups blade of each user, invite the users to a group.
B. From the Licenses blade of Azure AD, assign a license.
C. From the Directory role blade of each user, modify the directory role.
D. From the Azure AD domain, add an enterprise application.
Answer: B
Explanation: To assign a license, under Azure Active Directory > Licenses > All Products, select one or more products, and then select Assign on the command bar.
References: <https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/license-users-groups>

Question: 46
HOTSPOT
Your network contains an Active Directory domain named adatum.com and an Azure Active Directory (Azure AD) tenant named adatum.onmicrosoft.com. Adatum.com contains the user accounts in the following table.

Name	Role
User1	Domain administrator
User2	Scholarship administrator
User3	IT administrator
User4	Replicator
User5	Enterprise administrator

Adatum.onmicrosoft.com contains the user accounts in the following table.

Name	Role
UserA	Global administrator
UserB	Security administrator
UserC	Security administrator
UserD	Service administrator

You need to implement Azure AD Connect. The solution must follow the principle of least privilege. Which user accounts should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer:

Adatum.com: User1
 User2
 User3
 User4
 User5

Adatum.onmicrosoft.com: UserA
 UserB
 UserC
 UserD

Explanation: Box 1: User5In Express settings, the installation wizard asks for the following: AD DS Enterprise Administrator credentials Azure AD Global Administrator credentials The AD DS Enterprise Admin account is used to configure your on-premises Active Directory. These credentials are only used during the installation and are not used after the installation has completed. The Enterprise Admin, not the Domain Admin should make sure the permissions in Active Directory can be set in all domains. Box 2: UserA Azure AD Global Admin credentials credentials are only used during the installation and are not used after the installation has completed. It is used to create the Azure AD Connector account used for synchronizing changes to Azure AD. The account also enables sync as a feature in Azure AD. References:

<https://docs.microsoft.com/en-us/azure/active-directory/connect/active-directory-aadconnect-accounts-permissions>

Question: 47 You download an Azure Resource Manager template based on an existing virtual machine. The template will be used to deploy 100 virtual machines. You need to modify the template to reference an administrative password. You must prevent the password from being stored in plain text. What should you create to store the password? A. Azure Active Directory (AD) Identity Protection and an Azure policy B. a Recovery Services vault and a backup policy C. an Azure Key Vault and an access policy D. an Azure Storage account and an access policy Answer: C

Explanation: You can use a template that allows you to deploy a simple Windows VM by retrieving the password that is stored in a Key Vault. Therefore the password is never put in plain text in the template parameter file. References: <https://azure.microsoft.com/en-us/resources/templates/101-vm-secure-password/>

Question: 48 Your company registers a domain name of contoso.com. You create an Azure DNS named contoso.com and then you add an A record to the zone for a host named www that has an IP address of 131.107.1.10. You discover that Internet hosts are unable to resolve www.contoso.com to the 131.107.1.10 IP address. You need to resolve the name resolution issue. Solution: You modify the name server at the domain register. Does this meet the goal? A. Yes B. No Answer: B

Question: 49 Your company registers a domain name of contoso.com. You create an Azure DNS named contoso.com and then you add an A record to the zone for a host named www that has an IP address of 131.107.1.10. You discover that Internet hosts are unable to resolve www.contoso.com to the 131.107.1.10 IP address. You need to resolve the name resolution issue. Solution: You add an NS record to the contoso.com zone. Does this meet the goal? A. Yes B. No Answer: A

Explanation: Before you can delegate your DNS zone to Azure DNS, you need to know the name servers for your zone. The NS record set contains the names of the Azure DNS name servers assigned to the zone.

References: <https://docs.microsoft.com/en-us/azure/dns/dns-delegate-domain-azure-dns>

Question: 50 Your company registers a domain name of contoso.com. You create an Azure DNS named contoso.com and then you add an A record to the zone for a host named www that has an IP address of 131.107.1.10. You discover that Internet hosts are unable to resolve www.contoso.com to the 131.107.1.10 IP address. You need to resolve the name resolution issue. Solution: You modify the SOA record in the contoso.com zone Does this meet the goal? A. Yes B. No Answer: B

Explanation: Modify the NS record, not the SOA record. Note: The SOA record stores information about the name of the server that supplied the data for the zone; the administrator of the zone; the current version of the data file; the number of seconds a secondary name server should wait before checking for updates; the number of seconds a secondary name server should wait before retrying a failed zone transfer; the maximum number of seconds that a secondary name server can use data before it must either be refreshed or expire; and a default number of seconds for the time-to-live file on resource records. References: <https://searchnetworking.techtarget.com/definition/start-of-authority-record>

!!!RECOMMEND!!!1.[2019 Latest AZ-100 Exam Dumps (PDF & VCE) Instant Download:

<https://www.braindump2go.com/az-100.html>2.[2019 Latest AZ-100 Study Guide Video Instant Download: YouTube Video: [YouTube.com/watch?v=UZi2mtV1kug](https://www.youtube.com/watch?v=UZi2mtV1kug)